

Form for 1.2.1 (Page 1 of 28)
National Sheriffs' Association Physical Security Checklist

Exterior

Yes No

Perimeter (e.g., fences and gates)

- | | | |
|--|-------|-------|
| 1. Is the perimeter of the courthouse grounds clearly defined by a fence, wall, or other type of physical barrier? | _____ | _____ |
| 2. Briefly describe the barrier and its condition. | | |
| 3. Does the barrier limit or control vehicle or pedestrian access to the courthouse? | _____ | _____ |
| 4. Are gates solid and not in need of repair? | _____ | _____ |
| 5. Are gates locked properly? | _____ | _____ |
| 6. Are gate hinges secure? | _____ | _____ |

Lights

- | | | |
|--|-------|-------|
| 1. Is the entire perimeter lighted? | _____ | _____ |
| 2. Are lights on all night? | _____ | _____ |
| 3. Are light fixtures suitable for outside use (i.e., are they weather- and tamper-resistant)? | _____ | _____ |
| 4. Are lights and wiring inspected regularly? | _____ | _____ |
| 5. Lights are controlled: | | |
| a. automatically | _____ | _____ |
| b. manually | _____ | _____ |
| 6. Are control switches inaccessible to unauthorized persons? | _____ | _____ |

Form for 1.2.1 (Page 2 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|---|-------|-------|
| 7. Do any exterior or perimeter lights have an auxiliary power source? | _____ | _____ |
| 8. Excluding parking areas, describe lighting of the building grounds: | | |
| a. fully illuminated | _____ | _____ |
| b. partially illuminated | _____ | _____ |
| c. not illuminated | _____ | _____ |
| 9. Is the exterior of the building (particularly entry points) sufficiently lighted to discourage unlawful entry attempts or placement of explosives against the walls? | _____ | _____ |
| 10. Are public areas (including parking spaces and walkways) sufficiently lighted to discourage attacks against persons or vehicles? | _____ | _____ |

Parking Areas

- | | | |
|---|-------|-------|
| 1. Is entry to and exit from parking areas controlled by: | | |
| a. guard | _____ | _____ |
| b. an electrically operated gate | _____ | _____ |
| c. other (specify) | | |
| 2. Who provides the guard service? | | |
| 3. What hours are guard services provided?_____ | | |
| 4. Are parking areas watched by closed-circuit TV? | _____ | _____ |
| 5. Are frequent inspections made of parking area and vehicles not guarded or monitored through closed-circuit TV? | _____ | _____ |

Form for 1.2.1 (Page 3 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|---|-------|-------|
| 6. Is a reserved parking lot on courthouse grounds? | _____ | _____ |
| 7. Is the reserved area closed or locked during nonbusiness hours? | _____ | _____ |
| 8. Is the reserved area protected by a fence? | _____ | _____ |
| 9. Are signs posted there? | _____ | _____ |
| 10. Do reserved parking spaces block access to the courthouse by fire or other emergency vehicles? | _____ | _____ |
| 11. Is there reserved parking for judges? | _____ | _____ |
| 12. Is there reserved parking for court staff? | _____ | _____ |
| 13. Is there reserved parking for jurors and witnesses? | _____ | _____ |
| 14. Who else has reserved parking? _____ | | |
| 15. Are parking spaces reserved by name? | _____ | _____ |
| 16. Are parking spaces reserved by number? | _____ | _____ |
| 17. Is access to the garage strictly controlled? | _____ | _____ |
| 18. Are there adequate communications equipment and an alarm at the guard station in the garage? | _____ | _____ |
| 19. Is there direct access for judges from the garage to nonpublic elevators or restricted corridors? | _____ | _____ |

Landscaping

- | | | |
|--|-------|-------|
| 1. Do landscape features provide places for potential intruders to hide? | _____ | _____ |
|--|-------|-------|

Form for 1.2.1 (Page 4 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|---|-------|-------|
| 2. Are there items such as bricks, stones, or wooden fence pickets which could be used by intruders as weapons, missiles, or tools? | _____ | _____ |
| If yes, describe items _____ | | |

Building

Doors, Windows, and Other Openings

- | | | |
|--|-------|-------|
| 1. Are all exterior doors at least 1¾-inch solid core wood, metal clad, or metal? | _____ | _____ |
| 2. Are all exterior doors properly equipped with cylinder locks, deadbolts, or quality padlocks and hasps? | _____ | _____ |
| 3. Are doors with windows equipped with double-cylinder locks or quality padlocks? | _____ | _____ |
| 4. Are all exterior doors equipped with intrusion alarms? | _____ | _____ |
| 5. Are all hinge pins internally located, welded, or otherwise treated to prevent easy removal? | _____ | _____ |
| 6. Are doors with panic, or emergency, hardware also fitted with anti-intrusion bars? | _____ | _____ |
| 7. Do doors with panic locks have auxiliary locks for use when the building is not occupied? | _____ | _____ |
| 8. Are exterior locks designed or exterior door frames built so that the door cannot be forced by spreading the frame? | _____ | _____ |
| 9. Are exterior locks firmly mounted so that they cannot be pried off? | _____ | _____ |

Form for 1.2.1 (Page 5 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|--|-------|-------|
| 10. Are exterior door bolts protected or constructed so that they cannot be cut? | _____ | _____ |
| 11. Are exterior padlocks in place when doors are unlocked? | _____ | _____ |
| 12. Are exterior padlock hasps installed so that the screws cannot be removed? | _____ | _____ |
| 13. Are exterior door padlock hasps made with a grade of steel difficult to cut? | _____ | _____ |
| 14. Are all unused doors permanently locked? | _____ | _____ |
| 15. Are windows that could be used for entry protected with: | | |
| a. locking devices | _____ | _____ |
| b. metal bars | _____ | _____ |
| c. mesh | _____ | _____ |
| d. intrusion alarms | _____ | _____ |
| e. other (specify) _____ | | |
| 16. Are window bars and mesh securely fastened to prevent easy removal? | _____ | _____ |
| 17. Are windows on the ground floor made of tempered glass or ballistic plastic? | _____ | _____ |
| 18. Are all windows not needed for ventilation permanently sealed or locked? | _____ | _____ |
| 19. Are openings to the roof (doors, skylights, etc.) securely fastened or locked from the inside? | _____ | _____ |
| 20. Is internal access to the roof controlled? | _____ | _____ |

Form for 1.2.1 (Page 6 of 28)
National Sheriffs' Association Physical Security Checklist

	Yes	No
21. Is the roof accessible by means of:		
a. fire escape	_____	_____
b. another building	_____	_____
c. a pole or tree	_____	_____
d. other (specify) _____		
22. Do roof openings have intrusion alarms?	_____	_____
23. Are openings to the building (e.g., tunnels, utility and sewer manholes, culverts, and service ports) properly secured?	_____	_____
24. Is a key-control system in effect?	_____	_____
25. Who is responsible for the key control system? _____		
26. Are building entrance keys issued on a limited basis?	_____	_____
27. Are master keys kept securely locked and issued on a strictly controlled basis?	_____	_____
28. Can the key-control officer replace locks and keys at his discretion?	_____	_____
29. Must duplication of keys be approved by the key-control officer?	_____	_____
30. Is the number of entrance doors in use reduced to the minimum necessary?	_____	_____
31. Do judges and court officers have a private entrance to the building?	_____	_____

Form for 1.2.1 (Page 7 of 28)
National Sheriffs' Association Physical Security Checklist

	Yes	No
Ceilings and Walls		
1. Do all walls extend to the ceiling?	_____	_____
2. Are drop or removable ceilings used in the courthouse?	_____	_____
3. Where? _____		
Emergency Power System		
1. Is the main power source dependable?	_____	_____
2. Is there a dependable auxiliary power source for emergencies?	_____	_____
Alarms		
1. Does the courthouse have an intrusion alarm system?	_____	_____
2. Does the system meet Underwriters' Laboratories standards?	_____	_____
3. Is the system regularly tested?	_____	_____
4. How often? _____		
5. Is the system covered by a service and maintenance contract?	_____	_____
6. If not under contract, who provides the service and maintenance? _____		
7. Was the alarm system properly installed?	_____	_____

Form for 1.2.1 (Page 8 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|---|-------|-------|
| 8. Where does the alarm system terminate? | | |
| a. sheriff's department | _____ | _____ |
| b. local law enforcement office | _____ | _____ |
| c. commercial control station | _____ | _____ |
| d. other (specify) _____ | | |
| 9. Is there an emergency power source for all alarms? | _____ | _____ |
| 10. Does the emergency power source cut in automatically? | _____ | _____ |
| 11. Are records maintained of all alarm signals
(e.g., time, date, location, cause, and action taken)? | _____ | _____ |
| 12. Who keeps these records? _____ | | |
| 13. What is the response capability (in time and manpower)? | | |
| Time _____ | | |
| Manpower _____ | | |
| 14. What are the weaknesses or gaps in the existing alarm system?
_____ | | |

Safe and Vaults

- | | | |
|--|-------|-------|
| 1. Are safes and vaults equipped with an alarm system? | _____ | _____ |
| 2. What type of alarm system? _____ | | |

Fire Protection

- | | | |
|--|-------|-------|
| 1. Does the courthouse comply with local fire codes? | _____ | _____ |
|--|-------|-------|

Form for 1.2.1 (Page 9 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|---|-------|-------|
| 2. Does the fire marshal routinely inspect the courthouse? | _____ | _____ |
| 3. When was the courthouse last inspected by the fire marshal?
_____ | | |
| 4. Did the fire marshal approve the building? | _____ | _____ |
| If not, why? _____ | | |
| 5. Does the building have fire alarms? | _____ | _____ |
| 6. Does the building have smoke detectors? | _____ | _____ |
| 7. Does the building have a sprinkler system? | _____ | _____ |
| 8. Does the building have fire extinguishers? | _____ | _____ |
| 9. Does the building have emergency fire hoses? | _____ | _____ |
| 10. Does the building have an adequate water supply? | _____ | _____ |
| 11. Does the building have standpipes? | _____ | _____ |

Utility Control Points

- | | | |
|---|-------|-------|
| 1. Are utility and plumbing access plates and doors locked or sealed when not in use? | _____ | _____ |
|---|-------|-------|

Attic, Basements, Crawl Spaces, and Air-Conditioning and Heating Ducts

- | | | |
|--|-------|-------|
| 1. Do basement doors have intrusion alarms? | _____ | _____ |
| 2. Are basement doors securely fastened or locked when not in use? | _____ | _____ |

Form for 1.2.1 (Page 10 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|--|------------|-----------|
| 3. Are doors to basements, utility rooms, boiler rooms, crawl spaces, and attics locked when not in use? | _____ | _____ |
| 4. Are crawl spaces secured from unauthorized entry? | _____ | _____ |
| 5. Are air-conditioning and heating vent openings in public areas secure from tampering? | _____ | _____ |

Elevators

- | | | |
|---|-------|-------|
| 1. Are private elevators provided for judges? | _____ | _____ |
| 2. Are certain elevators used exclusively to move prisoners? | _____ | _____ |
| 3. Are prisoner elevators marked "Not for Public Use"? | _____ | _____ |
| 4. Are prisoner elevators controlled by key? | _____ | _____ |
| 5. Are prisoner elevators programmed to bypass floors? | _____ | _____ |
| 6. Do elevators separate prisoners from escorts by metal bars or grilles? | _____ | _____ |
| 7. Are prisoner elevators equipped with: | | |
| a. alarms | _____ | _____ |
| b. telephones | _____ | _____ |
| c. closed-circuit TV | _____ | _____ |
| d. other (specify) _____ | | |

Form for 1.2.1 (Page 11 of 28)
National Sheriffs' Association Physical Security Checklist

Storage Areas for Arms and Dangerous Substances	Yes	No
1. Which of the following dangerous substances are stored in the courthouse?		
a. weapons	_____	_____
b. ammunition	_____	_____
c. tear gas	_____	_____
d. other (specify) _____		
2. Are dangerous substances stored in a restricted area?	_____	_____
3. Are dangerous substances stored in a secure room?	_____	_____
4. Does the storage area have an intrusion alarm?	_____	_____
5. Is the door there solidly constructed?	_____	_____
6. Are hinge pins concealed or welded to prevent removal?	_____	_____
7. Does this door have an adequate cylinder lock?	_____	_____
8. Does this door have an adequate padlock?	_____	_____
9. Do windows in the storage area have steel bars, or mesh, or are they permanently sealed?	_____	_____
10. Is the storage area well ventilated?	_____	_____
11. Does the storage area have fire detection equipment?	_____	_____
12. Does the storage area have a sprinkler system?	_____	_____
Communications		
1. Are communications adequate?	_____	_____

Form for 1.2.1 (Page 12 of 28)
National Sheriffs' Association Physical Security Checklist

	Yes	No
2. If not, what is needed? _____		
3. What communications are available in the courthouse?		
a. telephone	_____	_____
b. radio	_____	_____
c. telegraph	_____	_____
d. teletype	_____	_____
e. public address system	_____	_____
f. other (specify) _____		
4. Is there more than one communications system used exclusively by security personnel?	_____	_____
5. Is there more than one communications system used exclusively for security purposes?	_____	_____
6. Who operates the public address system? _____		
7. Radios in the courthouse consist of:		
a. sheriff's base station	_____	_____
b. unit in security or bailiff office netting to sheriff's base station	_____	_____
c. hand-held portables used by bailiffs	_____	_____
d. hand-held portables used by security officers	_____	_____
e. other (specify) _____		

Form 1.2.1 (Form 13 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|---|-------|-------|
| 8. Can radios net with: | | |
| a. local police | _____ | _____ |
| b. State police | _____ | _____ |
| c. other sheriffs' departments | _____ | _____ |
| d. other (specify) _____ | | |
| 9. Is maintenance of radio equipment adequate? | _____ | _____ |
| 10. Do base stations have an auxiliary power source? | _____ | _____ |
| 11. Is there a duress code signal? | _____ | _____ |
| 12. Do all telephones go through a building switchboard? | _____ | _____ |
| 13. Does the switchboard have any security safeguards? | _____ | _____ |
| 14. Can teletypes communicate with outside security agencies? | _____ | _____ |
| 15. Which agencies? _____ | | |

Storage Areas for Records

- | | | |
|---|-------|-------|
| 1. Are fire detection devices in the records storage area? | _____ | _____ |
| 2. Is a sprinkler system in the records storage area? | _____ | _____ |
| 3. Are current records stored during nonbusiness hours in locked rooms or locked filing cabinets? | _____ | _____ |
| 4. Are records storage areas inaccessible to unauthorized persons? | _____ | _____ |
| 5. Are there checkout procedures for all records? | _____ | _____ |
| 6. Is space available in or near the clerk's office for the public to review documents? | _____ | _____ |

Form for 1.2.1 (Page 14 of 28)
National Sheriffs' Association Physical Security Checklist

Public Area (waiting areas, rest rooms, and hallways)	Yes	No
1. Are public waiting rooms routinely searched?	_____	_____
2. Are waiting rooms next to courtrooms?	_____	_____
3. Are drop or removable ceilings used in waiting rooms?	_____	_____
4. Are public rest rooms routinely searched?	_____	_____
5. Are rest rooms next to courtrooms?	_____	_____
6. Are drop or removable ceilings used in rest rooms?	_____	_____
7. Do any trash receptacles allow easy concealment of contraband?	_____	_____
8. Are directions (directories and floor plans, if appropriate) clearly posted in all public areas?	_____	_____

Offices Handling Money

1. Does the cashier's window have security features?	_____	_____
2. Is a large amount of cash in the office overnight or on weekends?	_____	_____
3. Is there an adequate safe, vault, or strongbox?	_____	_____
4. Is the safe approved by Underwriters' Laboratories?	_____	_____
5. Are safes weighing less than 750 pounds securely fastened to the floor, wall, or set in concrete?	_____	_____
6. Are combinations changed when personnel leave?	_____	_____
7. When was the combination last changed?	_____	_____
8. Is the safe or vault protected by an intrusion alarm?	_____	_____

Form for 1.2.1(Page 15 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|--|-------|-------|
| 9. Where does the intrusion alarm terminate? | | |
| _____ | | |
| 10. What is the response to an alarm? | | |
| Time _____ | | |
| Manpower _____ | | |
| 11. Is there a duress alarm in these offices? | _____ | _____ |
| 12. Where does the duress alarm terminate? | | |
| _____ | | |
| 13. Who escorts the employee carrying money to the bank? | | |
| a. sheriff | _____ | _____ |
| b. local police | _____ | _____ |
| c. State police | _____ | _____ |
| d. other (specify) _____ | | |
| e. no one | _____ | _____ |

Courthouse Procedures

- | | | |
|--|-------|-------|
| 1. Is there a security procedures manual for the courthouse? | _____ | _____ |
| 2. Are all data current and correct? | _____ | _____ |
| 3. Are emergency plans current? | _____ | _____ |
| 4. Is responsibility for declaring an emergency clearly fixed? | _____ | _____ |

Form for 1.2.1 (Page 16 of 28)
National Sheriffs' Association Physical Security Checklist

	Yes	No
5. Are the authority and chain of command in emergency plans clear and accurate?	_____	_____
6. Are all emergency plans subject to periodic review and updating?	_____	_____
7. Is there a procedure for handling medical emergencies involving the general public?	_____	_____
8. Is first aid equipment, including oxygen, provided throughout the courthouse?	_____	_____
9. Is that equipment periodically checked and tested?	_____	_____
10. Is there a designated security officer for the courthouse?	_____	_____
11. Is there a security guard on duty after normal working hours?	_____	_____
12. If so, when and what hours?		
<hr/>		
13. Is there a procedure for routine daily inspection of the courthouse?	_____	_____
14. Are tenants given periodic instruction about the various emergency procedures?	_____	_____
15. Are support agreements with other agencies written or informal?	_____	_____
16. Are periodic fire and evacuation drills held?	_____	_____

Form for 1.2.1 (Page 17 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|---|-------|-------|
| 17. Are periodic security conferences held with: | | |
| a. judges | _____ | _____ |
| b. attorneys | _____ | _____ |
| c. tenants | _____ | _____ |
| d. supervising personnel | _____ | _____ |
| e. custodial personnel | _____ | _____ |
| 18. Are security plans coordinated with appropriate local, State, and Federal agencies? | _____ | _____ |
| 19. Are public, private, and prisoner circulation patterns separated and well defined? | _____ | _____ |
| 20. Is there a routine inspection of packages and shipments entering the courthouse? | _____ | _____ |

Courtrooms and Related Areas

Courtrooms: Location

- | | | |
|---|-------|-------|
| 1. Do spaces above, below, and next to the courtroom present a security hazard? | _____ | _____ |
|---|-------|-------|

Courtrooms: Doors, Windows, and Other Openings

- | | | |
|---|-------|-------|
| 1. Are all unused doors secured? | _____ | _____ |
| 2. Are the keys to all doors strictly controlled? | _____ | _____ |

Form for 1.2.1 (Page 18 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|--|-------|-------|
| 3. Are there separate entrances into the courtroom for: | | |
| a. judges | _____ | _____ |
| b. in-custody defendants | _____ | _____ |
| c. spectators | _____ | _____ |
| 4. Is the prisoner entry door far enough from the public seating area to prevent passing contraband? | _____ | _____ |
| 5. Are all windows draped to obscure vision (particularly of the bench) from outside? | _____ | _____ |

Courtrooms: Lights

- | | | |
|---------------------------------|-------|-------|
| 1. Is there emergency lighting? | _____ | _____ |
| 2. Are lights key controlled? | _____ | _____ |

Courtrooms: Furnishings

- | | | |
|--|-------|-------|
| 1. Is the main area or well separated from the spectators by a barrier? | _____ | _____ |
| 2. Is the judge's bench closed at both ends to restrict access from the well? | _____ | _____ |
| 3. Are the defendant's chair and the witness chair built to allow use of restraints? | _____ | _____ |
| 4. Are spectator seats solidly built and fastened to the floor? | _____ | _____ |
| 5. Are potential weapons, such as drinking glasses, water carafes, and ash trays, kept out of the defendant's reach? | _____ | _____ |

Form for 1.2.1 (Page 19 of 28)
National Sheriffs' Association Physical Security Checklist

Courtrooms: Security Devices	Yes	No
1. Are routine checks made of:		
a. alarms	_____	_____
b. emergency lighting	_____	_____
c. metal detectors	_____	_____
2. Are metal detectors available for use?	_____	_____
3. Is the bench reinforced to make it bullet resistant?	_____	_____
4. With what? _____		
5. Is there a duress alarm in the courtroom?	_____	_____
6. Are duress alarm buttons installed at:		
a. the bench	_____	_____
b. clerk's station	_____	_____
c. bailiff's station	_____	_____
d. chambers	_____	_____
e. judge's secretary's desk	_____	_____
f. other (specify) _____		
7. Does this alarm have an audio-monitor capability?	_____	_____
8. Is there an acceptable response capability for courtroom duress alarms?	_____	_____
9. Does the courtroom have a telephone?	_____	_____
10. Does the courtroom have a public address system?	_____	_____

Form for 1.2.1 (Page 20 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|--|-------|-------|
| 11. Does the courtroom have a radio transmitter? | _____ | _____ |
| 12. Is the bailiff equipped with a portable transceiver? | _____ | _____ |
| 13. Does the transceiver net with: | | |
| a. sheriff's base station | _____ | _____ |
| b. security office | _____ | _____ |
| c. other (specify) _____ | | |
| 14. Are additional restraining devices available for use in the courtroom? | _____ | _____ |

Courtrooms: Security Procedures

- | | | |
|--|-------|-------|
| 1. Is there a policy for firearms to be carried into the courtroom by: | | |
| a. bailiffs | _____ | _____ |
| b. law enforcement officer witnesses | _____ | _____ |
| c. law enforcement officer spectators | _____ | _____ |
| d. other (specify) _____ | | |
| 2. Are bailiffs armed in the courtroom? | _____ | _____ |
| 3. Are bailiffs in uniform? | _____ | _____ |
| 4. Are prisoners kept in restraints except when in the courtroom? | _____ | _____ |

Form for 1.2.1 (Page 21 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|--|-------|-------|
| 5. Are there procedures for the emergency evacuation from the courtroom of: | | |
| a. prisoners | _____ | _____ |
| b. judges | _____ | _____ |
| c. jurors | _____ | _____ |
| 6. Do bailiffs understand procedures for emergency evacuation of prisoners from the courtroom? | _____ | _____ |
| 7. Is there a procedure for a search-screen operation for entry to courtrooms? | _____ | _____ |

Judges' Chambers and Related Offices

- | | | |
|---|-------|-------|
| 1. Are judges' chambers routinely searched for contraband by bailiffs or secretaries? | _____ | _____ |
| 2. Is visitor access controlled by clerks, bailiffs, or secretaries? | _____ | _____ |
| 3. Which? _____ | | |
| 4. Are suspicious packages or letters examined before delivery to judges? | _____ | _____ |
| 5. Do these chambers have more than one means of entry and exit? | _____ | _____ |
| 6. Do doors have automatic closing and locking hardware? | _____ | _____ |
| 7. Are the chambers routinely locked when the judge is not present? | _____ | _____ |

Form for 1.2.1 (Page 22 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|--|-------|-------|
| 8. When occupied by the judge, are the chambers' doors usually: | | |
| a. open | _____ | _____ |
| b. closed | _____ | _____ |
| c. locked | _____ | _____ |
| 9. Are outside views, particularly of judges' desks, obscured? | _____ | _____ |
| 10. Are judges routinely escorted between parking areas, chambers, and the courtroom? | _____ | _____ |
| 11. Are judges escorted between parking areas, chambers, and the courtroom during high-risk or sensitive trials? | _____ | _____ |
| 12. Do chambers have duress alarms? | _____ | _____ |
| 13. Is there acceptable response capability for these alarms? | _____ | _____ |
| 14. Do any judges carry firearms? | _____ | _____ |
| 15. Do any judges keep firearms in their chambers? | _____ | _____ |
| 16. Do any judges keep firearms at the bench? | _____ | _____ |

Witness Waiting Rooms

- | | | |
|--|-------|-------|
| 1. Are witness waiting rooms provided? | _____ | _____ |
| 2. Is it possible to separate prosecution and defense witnesses? | _____ | _____ |
| 3. Is public access to waiting rooms restricted? | _____ | _____ |

Form for 1.2.1 (Page 23 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|--|-------|-------|
| 4. Are light switches located outside the waiting rooms? | _____ | _____ |

Attorney-Client Conference Rooms

- | | | |
|--|-------|-------|
| 1. Are rooms provided in the courthouse for attorney-client conferences? | _____ | _____ |
| 2. Are these rooms secure? | _____ | _____ |
| 3. Do the rooms have drop or removable ceilings? | _____ | _____ |
| 4. Can the rooms be locked? | _____ | _____ |
| 5. Are the rooms routinely searched for contraband before and after use? | _____ | _____ |
| 6. Are conferences visually observed at all times? | _____ | _____ |

Jury Deliberation Room

- | | | |
|--|-------|-------|
| 1. Is the jury deliberation room next to the courtroom or accessible through a controlled passage? | _____ | _____ |
| 2. Are the windows draped? | _____ | _____ |
| 3. Are rest rooms provided as an integral part of the deliberation area? | _____ | _____ |
| 4. Is the deliberation room soundproofed well enough to prevent unauthorized persons from eavesdropping? | _____ | _____ |
| 5. Is the deliberation room routinely searched for contraband before occupancy? | _____ | _____ |
| 6. Is the deliberation room locked when unoccupied? | _____ | _____ |

Form for 1.2.1 (Page 24 of 28)
National Sheriffs' Association Physical Security Checklist

Prisoner Reception Area	Yes	No
1. Are prisoners brought from jail to the reception area in the courthouse by:		
a. elevator	_____	_____
b. stairway	_____	_____
c. tunnel	_____	_____
d. bridge	_____	_____
e. vehicle	_____	_____
f. foot	_____	_____
2. Do prisoners brought from outside the courthouse enter through a:		
a. public entrance	_____	_____
b. private entrance	_____	_____
c. sally port	_____	_____
3. Is the area equipped with gates that can close the area to the public?	_____	_____
4. Is there more than one means for vehicles to exit from the area?	_____	_____
5. Are gates electronically controlled from a remote station?	_____	_____
6. Is an interlocking system used so that the outer gate can be closed and locked before the door to the building is opened?	_____	_____
7. Is this area monitored by closed-circuit TV?	_____	_____

Form for 1.2.1 (Page 25 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|---|-------|-------|
| 8. Is this area used exclusively for prisoner movement? | _____ | _____ |
| 9. Is the entrance for prisoners out of public view? | _____ | _____ |

Restricted and Secure Passageways

- | | | |
|--|-------|-------|
| 1. Do prisoners walk through public areas when going from temporary holding areas to court? | _____ | _____ |
| 2. Are restricted passages also used by judges and court staff? | _____ | _____ |
| 3. Are restricted or secure passageways monitored by closed-circuit TV? | _____ | _____ |
| 4. Are law enforcement officers required to leave guns in locked cabinets before entering restricted or secure passages? | _____ | _____ |
| 5. Are restricted passageways locked with keys that cannot normally be duplicated commercially? | _____ | _____ |
| 6. Are keys to secure passageways issued to people other than sheriff's personnel? | _____ | _____ |
| 7. Are security staff forbidden to remove secure passageway keys from the building? | _____ | _____ |
| 8. Are the stairways used for prisoner movement adequately lighted? | _____ | _____ |
| 9. Are stairways and stairwells enclosed with protective metal grilles? | _____ | _____ |
| 10. Are stairways monitored by closed-circuit TV? | _____ | _____ |

Form for 1.2.1 (Page 26 of 28)
National Sheriffs' Association Physical Security Checklist

Temporary Holding Areas	Yes	No
1. Are temporary holding facilities located in the court building?	_____	_____
2. If not, where are prisoners held? _____		
3. How many temporary holding cells are there? _____		
4. Are prisoners moved from the reception area to a temporary holding area by a secure or restricted:		
a. elevator	_____	_____
b. stairway	_____	_____
c. tunnel	_____	_____
d. bridge	_____	_____
5. Do temporary holding cells open directly into:		
a. the court	_____	_____
b. a restricted passage	_____	_____
6. Are adequate toilet facilities available for prisoners?	_____	_____
7. Are lights for the holding area controlled from outside the cells?	_____	_____
8. Do cells have emergency lights?	_____	_____
9. Do cell doors have observation ports?	_____	_____

Form for 1.2.1 (Page 27 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|---|-------|-------|
| 10. Is at least one holding cell equipped for audio or visual coverage of courtroom proceedings? | _____ | _____ |
| 11. How are cell doors locked: | | |
| a. electrically | _____ | _____ |
| b. manually | | |
| 12. Are cell doors locked and unlocked from: | | |
| a. a remote command center | _____ | _____ |
| b. directly | _____ | _____ |
| c. both | _____ | _____ |
| 13. Are keys to temporary holding cells issued to people other than sheriff's personnel? | _____ | _____ |
| 14. Are temporary holding areas locked with keys that cannot normally be duplicated commercially? | _____ | _____ |
| 15. Are cells and areas used by prisoners routinely searched for contraband before and after use? | _____ | _____ |
| 16. Are cells built securely and in a way that reduces opportunities for self-inflicted injuries by prisoners? | _____ | _____ |
| 17. Are law enforcement officers required to leave guns in locked cabinets before entering temporary holding areas? | _____ | _____ |
| 18. Are prisoners kept in restraints except when in the cell? | _____ | _____ |
| 19. Are additional restraining devices available? | _____ | _____ |
| 20. Are telephones available? | _____ | _____ |

Form for 1.2.1 (Page 28 of 28)
National Sheriffs' Association Physical Security Checklist

- | | Yes | No |
|---|-------|-------|
| 21. Are juveniles routinely separated from other prisoners? | _____ | _____ |
| 22. Are females routinely separated from other prisoners? | _____ | _____ |
| 23. Do prisoner feeding procedures present escape opportunities? | _____ | _____ |
| 24. Are there procedures for the emergency evacuation of prisoners from temporary holding areas? | _____ | _____ |
| 25. Do security and transportation officers understand procedures for emergency evacuation of prisoners from temporary holding areas? | _____ | _____ |

Security Equipment Storage Area

- | | | |
|--|-------|-------|
| 1. Are the number of gun cabinets adequate? | _____ | _____ |
| 2. Are storage areas locked with keys that cannot normally be duplicated commercially? | _____ | _____ |

Prisoner Procedures

- | | | |
|--|-------|-------|
| 1. Is there a procedure for handling the medical emergencies of prisoners? | _____ | _____ |
|--|-------|-------|

Please use an additional page to offer any specific comments or suggestions for improvements in the security of the courthouse.